

CLIMATE CHANGE VULNERABILITY OF URBAN TREES

ANN ARBOR, MICHIGAN



This list was developed to aid Ann Arbor, Michigan community forestry practitioners in selecting trees to reduce climate change vulnerability of their urban forests. It is meant to be a complement to other tree selection resources. Other factors may also need to be considered, such as aesthetics, local site conditions, wildlife value, or nursery availability. It is also important to note that some species may have climate benefits but may not be suitable for planting for other reasons, such as having invasive potential or susceptibility to pests or pathogens.

Vulnerability: Trees can be vulnerable to a variety of climate-related stressors such as intense heat, drought, flooding, and changing pest and disease patterns.

Climate vulnerability is a function of the impacts of

climate change on a species and its adaptive capacity. Species with negative impacts on habitat suitability and low adaptive capacity will have high vulnerability and vice versa. The following factors were used to determine climate vulnerability:

Urban adaptability: Adaptability scores were generated for each species based on literature describing its tolerance to disturbances such as drought, flooding, pests, and disease, as well as its growth requirements such as shade tolerance, soil needs, and ease of nursery propagation. Scores were assigned to species using methods developed in an urban forest vulnerability assessment for Chicago for trees planted in developed sites. A positive score indicates that a species is tolerant to a wide range of disturbances and can be planted on a variety of sites. A negative score indicates a species is highly susceptible to disturbances and/or is limited to specific planting sites.

Hardiness and heat zone suitability: Tree species ranges were recorded from government, university, and arboretum websites. Species tolerance ranges were compared to current and projected heat and hardiness zones for Ann Arbor, Michigan using downscaled climate models under low emissions (RCP 4.5) and high emissions (RCP 8.5) scenarios for changes in greenhouse gases. Trees were considered to have suitable zone suitability if the species' tolerance was within the range of current and projected hardiness and heat zone through the end of the 21st century.

NOTE: This list was primarily created for species planted in developed sites, such as streets, yards, boulevards, and parks. If you are interested in projected changes in habitat suitability for native species in natural areas, see the Climate Change Tree Atlas at www.fs.fed.us/nrs/atlas/.

Current and projected USDA Hardiness Zones and AHS Heat Zones for Ann Arbor, Michigan. Hardiness zone is determined by the average lowest temperature over a 30 year period. Heat zones are determined by the number of days above 86°F.

Time Period	Hardiness Zone Range		Heat Zone Range	
1980–2010	6		4	
	Low Emissions	High Emissions	Low Emissions	High Emissions
2010–2039	6	7	6	7
2040–2069	7	7	7	8
2070–2099	7	8	7	9

SOURCE: Adaptability scores were assigned using methods developed in an urban forest vulnerability assessment for Chicago by Brandt et al. 2017 (https://www.fs.fed.us/nrs/pubs/gtr/gtr_nrs168.pdf). Future heat and hardiness zone information were provided from: <https://usfs.maps.arcgis.com/apps/MapSeries/index.html?appid=96088b1c086a4b39b3a75d0fd97a4c40>.



URBAN ADAPTABILITY:

- + **High:** Species may perform better than modeled
- **Medium**
- **Low:** Species may perform worse than modeled

ZONE SUITABILITY:

- ✓ **Suitable**
- ✗ **Not Suitable**

VULNERABILITY:

- ▼ **Low:** Suitable zone, high adaptability
- **Low-moderate:** Suitable zone, medium adaptability
- ⊖ **Moderate:** Suitable zone, low adaptability or zone not suitable, high adaptability
- **Moderate-high:** Zone not suitable, medium adaptability
- △ **High:** Zone not suitable, low adaptability

*Invasive species

COMMON NAME	LOW EMISSIONS			HIGH EMISSIONS	
	ADAPT	ZONE SUIT	ZONE VULN	ZONE SUIT	ZONE VULN
Accolade elm	+	✓	▼	✗	⊖
Alleghany serviceberry	+	✓	▼	✓	▼
American beech	•	✓	●	✓	●
American elm	•	✓	●	✓	●
American filbert	•	✓	●	✓	●
American linden, Basswood	•	✓	●	✗	○
American sycamore	•	✓	●	✓	●
Amur corktree*	•	✓	●	✗	○
Amur maackia	+	✓	▼	✗	⊖
Amur maple*	•	✓	●	✗	○
Apple serviceberry	•	✓	●	✗	○
Austrian pine	•	✓	●	✗	○
Bald cypress	+	✓	▼	✓	▼
Balsam fir	•	✗	○	✗	○
Bitternut hickory	•	✓	●	✓	●
Black alder	•	✓	●	✗	○
Black ash	-	✓	⊖	✗	△
Black cherry	-	✓	⊖	✓	⊖
Black locust	•	✓	●	✓	●
Black maple	•	✓	●	✗	○
Black oak	-	✓	⊖	✗	△
Black tupelo, Black gum	+	✗	⊖	✗	⊖
Black walnut	-	✓	⊖	✓	⊖
Black willow	-	✗	△	✗	△
Blue ash	•	✓	●	✗	○
Boxelder	•	✓	●	✗	○
Bur oak	+	✓	▼	✓	▼
Callery pear*	•	✓	●	✗	○
Chestnut oak	+	✓	▼	✗	⊖
Chinkapin oak	+	✓	▼	✗	⊖
Chokecherry	•	✓	●	✗	○
Cockspur hawthorn	•	✓	●	✗	○
Colorado blue spruce	•	✓	●	✗	○
Common hackberry	+	✓	▼	✓	▼
Common horsechestnut	•	✓	●	✗	○
Cornelian cherry dogwood	•	✓	●	✗	○
Dawn redwood	•	✓	●	✓	●
Douglas-fir	-	✓	⊖	✗	△
Eastern cottonwood	-	✓	⊖	✓	⊖
Eastern hemlock	-	✓	⊖	✗	△
Eastern redbud	•	✓	●	✓	●
Eastern redcedar	+	✓	▼	✓	▼
Eastern serviceberry	•	✓	●	✗	○
Eastern white pine	-	✓	⊖	✗	△
English oak	•	✓	●	✗	○

COMMON NAME	LOW EMISSIONS			HIGH EMISSIONS	
	ADAPT	ZONE SUIT	ZONE VULN	ZONE SUIT	ZONE VULN
European ash	•	✓	●	✗	○
European buckthorn*	+	✗	⊖	✗	⊖
European hornbeam	+	✓	▼	✗	⊖
European larch	•	✗	○	✗	○
European mountain ash	•	✓	●	✗	○
Flowering dogwood	•	✗	○	✗	○
Freeman maple	+	✓	▼	✗	⊖
Ginkgo	+	✓	▼	✓	▼
Goldenrain tree*	+	✓	▼	✓	▼
Gray birch	-	✗	△	✗	△
Green ash	•	✓	●	✓	●
Hardy rubber tree	+	✓	▼	✗	⊖
Hedge maple	•	✓	●	✗	○
Heritage oak	+	✗	⊖	✗	⊖
Higan cherry	•	✓	●	✗	○
Honeylocust*	•	✓	●	✓	●
Ironwood	+	✓	▼	✓	▼
Japanese elm	•	✓	●	✓	●
Japanese flowering cherry	-	✓	⊖	✓	⊖
Japanese maple	•	✓	●	✗	○
Japanese pagoda tree	+	✓	▼	✓	▼
Japanese tree lilac	+	✓	▼	✗	⊖
Japanese zelkova	+	✓	●	✓	●
Katsura tree	-	✓	⊖	✗	△
Kentucky coffeetree	+	✓	▼	✓	▼
Kousa dogwood	+	✓	▼	✗	⊖
Littleleaf linden	+	✓	▼	✗	⊖
London planetree	•	✓	●	✓	●
Miyabe maple	+	✓	▼	✗	⊖
Mockernut hickory	•	✓	●	✓	●
Mugo pine	•	✓	●	✗	○
Musclewood	+	✓	▼	✓	▼
New Harmony elm	+	✓	▼	✓	▼
New Horizon elm	•	✗	○	✗	○
Northern catalpa	•	✓	●	✗	○
Northern pin oak	-	✓	⊖	✗	△
Northern red oak	•	✓	●	✓	●
Northern white cedar, Arborvitae	+	✓	▼	✗	⊖
Norway maple*	+	✓	▼	✗	⊖
Norway spruce	•	✓	●	✗	○
Okame cherry	+	✓	▼	✗	⊖
Osage-orange	•	✓	●	✓	●
Overcup oak	+	✓	▼	✗	⊖
Paper birch	•	✓	●	✗	○
Paperbark maple	-	✓	⊖	✗	△

URBAN ADAPTABILITY:

- + **High:** Species may perform better than modeled
- **Medium**
- **Low:** Species may perform worse than modeled

ZONE SUITABILITY:

- ✓ **Suitable**
- ✗ **Not Suitable**

VULNERABILITY:

- ▼ **Low:** Suitable zone, high adaptability
- **Low-moderate:** Suitable zone, medium adaptability
- ⊖ **Moderate:** Suitable zone, low adaptability or zone not suitable, high adaptability
- **Moderate-high:** Zone not suitable, medium adaptability
- △ **High:** Zone not suitable, low adaptability

*Invasive species

COMMON NAME	ADAPT	LOW EMISSIONS			HIGH EMISSIONS	
		ZONE ADAPT	ZONE SUIT	ZONE VULN	ZONE SUIT	ZONE VULN
Paradise apple	•	✓	●	✗	○	
Patroit elm	+	✗	⊖	✗	⊖	
Persian ironwood	+	✓	▼	✗	⊖	
Pignut hickory	•	✓	●	✗	○	
Pin oak	+	✓	●	✗	○	
Ponderosa pine	-	✓	⊖	✗	△	
Princeton elm	+	✗	⊖	✗	⊖	
Quaking aspen	•	✓	●	✗	○	
Red maple	•	✓	●	✓	●	
Red pine	-	✓	⊖	✗	△	
River birch	•	✓	●	✓	●	
Russian olive*	+	✓	▼	✗	⊖	
Saucer magnolia	+	✓	▼	✓	▼	
Sawtooth oak*	+	✓	▼	✗	⊖	
Scarlet oak	•	✓	●	✓	●	
Scots pine	•	✓	●	✗	○	
Shagbark hickory	-	✓	⊖	✗	△	
Shantung maple	+	✗	⊖	✗	⊖	
Shingle oak	+	✓	▼	✗	⊖	
Shumard oak	•	✓	●	✓	●	
Siberian elm*	•	✓	●	✓	●	
Silver linden	•	✓	●	✓	●	
Silver maple	•	✓	●	✗	○	
Slippery elm	•	✓	●	✓	●	
Sour cherry	•	✓	●	✗	○	
Striped maple	•	✓	●	✗	○	
Sugar maple	•	✓	●	✗	○	
Swamp bur oak	•	✓	●	✗	○	
Swamp white oak	+	✓	▼	✗	⊖	
Sweet cherry	•	✓	●	✗	○	
Sweetbay magnolia	•	✓	●	✓	●	
Sweetgum	-	✓	⊖	✓	⊖	
Swiss stone pine	+	✓	▼	✗	⊖	
Tamarack	•	✗	○	✗	○	
Tatarian maple	•	✓	●	✗	○	
Tree of heaven*	+	✓	▼	✗	⊖	
Trident maple	•	✓	●	✓	●	
Triumph elm	+	✓	▼	✓	▼	
Tuliptree	-	✓	⊖	✓	⊖	
Turkish hazelnut	+	✓	▼	✗	⊖	
Valley Forge elm	+	✗	⊖	✗	⊖	
Washington hawthorn	•	✓	●	✗	○	
White ash	-	✓	⊖	✓	⊖	
White fir	•	✓	●	✗	○	
White fringetree	+	✓	▼	✓	▼	

COMMON NAME	ADAPT	LOW EMISSIONS			HIGH EMISSIONS	
		ZONE ADAPT	ZONE SUIT	ZONE VULN	ZONE SUIT	ZONE VULN
White mulberry*	•	✓	●	✗	○	
White oak	-	✓	⊖	✗	△	
White spruce	•	✓	●	✗	○	
Winter king green hawthorn	•	✓	●	✗	○	
Yellow birch	+	✓	▼	✗	⊖	
Yellow buckeye	•	✓	●	✗	○	
Yellowwood	+	✓	▼	✓	▼	