
Climate Change Projections for Individual Tree Species

Southern Wisconsin_



This region's forests will be affected by a changing climate and other stressors during this century. A team of managers and researchers created a field guide that includes information on the vulnerability of forests in this region (Handler et al. 2021: climate-change-field-guide-southern-wisconsin-forests-site-level). This report

includes information on the current landscape, observed climate trends, and a range of projected future climates. It also describes many potential climate change impacts to forests and summarizes key vulnerabilities for major forest ecosystems. This handout summarizes data from the U.S. Forest Service's Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Two climate scenarios are presented to "bracket" a range of possible futures. These future climate projections (2070 to 2099) provide information about how individual tree species may respond to a changing climate. Results for "low" and "high" emissions scenarios can be compared on the reverse side of this handout.

The Tree Atlas provides information to interpret tree species changes:

- **SUITABLE HABITAT** calculated based on 45 variables that explain where conditions exist for a species, including soils, landforms, and climate variables.
- ADAPTABILITY based on life-history traits that might increase or decrease tolerance of expected changes, such as the ability to withstand different forms of disturbance.
- CAPABILITY a rating of the species' ability to cope or persist with climate change in this region based on suitable habitat change (statistical modeling), adaptability (literature review and expert opinion), and abundance (inventory data). The capability rating is modified by abundance information; ratings are downgraded for rare species and upgraded for abundant species. Capability rating may not appropriately reflect the outlook for species with emerging severe forest health issues, such as ash species affected by emerald ash borer. See the table to the right for ratings.
- MIGRATION POTENTIAL MODEL when combined with habitat suitability, an
 estimate of a species' colonization likelihood for new habitats. This rating can
 be helpful for assisted migration or focused management.

CLIMATE CHANGE CAPABILITY TABLE.

Capability is a rating of the species' ability to cope or persist with climate change. Species are organized into poor, fair, good, and mixed capability ratings. Species with new suitable habitat or low model reliability are excluded from this table. See the Tree Species Projections table legend on the following page for more information on ratings.

NOTE: Capability rating may not reflect severe forest health issues (e.g., emerald ash borer).

mediti issues (e.g., emerati							
POOR CAPABILITY							
American beech	Northern white-ceda						
Balsam fir	Paper birch						
Bigtooth aspen	Quaking aspen						
Black ash	Red pine						
Black spruce	Tamarack (native)						
Eastern hemlock	White spruce						
Eastern white pine	Yellow birch						
Flowering dogwood							
FAIR CAPABILITY							
American basswood	Northern pin oak						
Chinkapin oak	White ash						
Jack pine							
GOOD CAPABILITY							
American elm	Northern red oak						
Black oak	Red maple						
Bur oak	Sugar maple						
Eastern redcedar	White oak						
Hackberry							
MIXED CAPABILITY							
Black cherry	Shagbark hickory						

Remember that models are just tools, and they're not perfect. Model projections can't account for all factors that influence future species success. If a species is rare or confined to a small area, model results may be less reliable. These factors, and others, could cause a particular species to perform better or worse than a model projects. Human choices will also continue to influence forest distribution, especially for tree species that are projected to increase. Planting programs may assist the movement of future-adapted species, but this will depend on management decisions. Despite these limits, models provide useful information about future expectations. It's perhaps best to think of these projections as indicators of possibility and potential change.

CREDIT: This handout summarizes the full model results for Southern Wisconsin in the Northwoods region. Data provided by the USDA Forest Service (M.P. Peters, A.M. Prasad, S.N. Matthews, & L.R. Iverson) as part of the Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Models and variables are described in Iverson et al. 2019 and Peters et al. 2019 (available at <u>fs.usda.gov/nrs/atlas/products/pubs</u>). More information on vulnerability and adaptation in the region can be found at <u>forestadaptation.org/northwoods</u>.







Tree Species Projections Table

 $Information\ presented\ in\ the\ table\ is\ from\ the\ Climate\ Change\ Tree\ Atlas\ regional\ summaries,\ more\ details\ at\ \underline{fs.usda.gov/nrs/atlas/combined/resources/summaries}.$

ADAPTABILITY: Life-history factors, such as the ability to respond favorably to disturbance, that are not included in the Tree Atlas model and may make a species more or less able to adapt to future stressors.

- + **HIGH** Species may perform better than modeled
- · MEDIUM
- LOW Species may perform worse than modeled

HABITAT CHANGE: Projected change in suitable habitat between current and potential future conditions.

- ▲ INCREASE Projected increase of >20% by 2100
 - DECREASE Projected decrease of >20% by 2100
- NO CHANGE Projected change of <20% by 2100
- ★ NEW HABITAT Tree Atlas projects new habitat for species not currently present

ABUNDANCE: Based on Forest Inventory Analysis (FIA) summed Importance Value data, calibrated to a standard geographic area.

- + ABUNDANT
- · common
- RARE

CAPABILITY: An overall rating that describes a species' ability to cope or persist with climate change based on suitable habitat change class, adaptability, and abundance within this region. Capability may not reflect severe forest health issues.

- △ **GOOD** Increasing suitable habitat, medium or high adaptability, and common or abundant
- FAIR Mixed combinations, such as a rare species with increasing suitable habitat and medium adaptability
- ▼ POOR Decreasing suitable habitat, medium or low adaptability, and uncommon or rare

SPECIES	ADADT		LOW CLIMATE CHANGE (RCP 4.5)		HIGH CLIMATE CHANGE (RCP 8.5)					LOW CLIMATE CHANGE (RCP 4.5)		HIGH CLIMATE CHANGE (RCP 8.5)	
		r ariin	HABITAT			SPECIES	ADADT	ARIIN	HABITAT	CADARII ITV	HABITAT	CAPABILITY	
American basswood	·		CHANGE	O	CHANGE	O	Ohio buckeye*	ADAF1	ADON	*	CAFABILITI	*	CAFABILITI
American beech	•			$\overline{\nabla}$	•	$\overline{\nabla}$	Osage-orange	+		*			
American elm		+	•		•		Paper birch	•		$\widehat{}$	∇	<u> </u>	$\overline{\nabla}$
Balsam fir		<u> </u>	•	$\overline{\nabla}$	_	$\overline{\nabla}$	Pecan*			*	V	*	
Bigtooth aspen				$\overline{\nabla}$	<u> </u>	$\overline{\nabla}$	Pignut hickory	<u>-</u>					
Bitternut hickory*	+	•	•				Pin cherry*	•		<u> </u>	∇	<u> </u>	$\overline{\nabla}$
Black ash		•		$\overline{\nabla}$	_	$\frac{\Delta}{\nabla}$	Pin oak*		_	_	V	*	
Black cherry		•			•	$\overline{\nabla}$	Post oak			*		*	
Black hickory		•	*		*		Quaking aspen	•		~	∇	<u> </u>	∇
Black oak	•			Δ		Δ	Red maple			<u> </u>		<u> </u>	
Black spruce	· ·	_ <u>.</u>	-	$\overline{\nabla}$	_	$\frac{\Delta}{\nabla}$	<u> </u>	+	+	•	$\overline{\nabla}$	•	$\frac{\Delta}{\nabla}$
· .	· ·						Red mulberry*		_		$\overline{\nabla}$	_	$\overline{\nabla}$
Black walnut* Black willow*		•	_	$\overline{\nabla}$		$\frac{\Delta}{\nabla}$	Red pine		•	▼	$\overline{\nabla}$	—	$\overline{\nabla}$
		•	*	V	*		River birch*	•	_	*		•	
Blackgum	+		*		*		Sassafras*	•				*	
Blackjack oak	+				<u> </u>		Scarlet oak	•		*		*	
Boxelder*	+	•	•			0	Serviceberry*	•	_		∇		$\overline{\nabla}$
Bur oak	+	•					Shagbark hickory	•	•	•	0		$lue{\nabla}$
Chinkapin oak	•			0		0	Shingle oak	•		*		*	
Common persimmon*			*		*		Shortleaf pine	•		*		*	
Eastern cottonwood*	•		•	$\overline{\nabla}$			Shumard oak*	+		*		*	
Eastern hemlock			•	∇		∇	Silver maple*	+	•				
Eastern redbud*	•		*		*		Sugar maple	+	•				
Eastern redcedar	•	•					Sugarberry	•		*		*	
Eastern white pine		•		∇		∇	Swamp white oak*	•	_	•	∇	•	extstyle ext
Flowering dogwood	•			∇	•	∇	Sweetgum	•		*		*	
Green ash*	•	•		Δ			Sycamore*	•		*		*	
Hackberry	+	•		Δ			Tamarack (native)		•		∇		lacksquare
Honeylocust*	+	_		Δ			Virginia pine	•		*		*	
Ironwood*	+	•			_		White ash		•		0	_	0
Jack pine	+	•		0	_	0	White oak	+	•		Δ	•	Δ
Loblolly pine	•		*		*		White spruce	•	•	•	∇	•	∇
Mockernut hickory	+		*		*		Winged elm	•		*		*	
Northern pin oak	+	•	_	0	_	0	Yellow birch	•	_	_	∇	_	∇
Northern red oak	+	•	•	Δ	•	Δ	Yellow-poplar	+		*		*	
Northern white-cedar	•	_	•	$\overline{\nabla}$	•	$\overline{\nabla}$							