

Soil Map—Oneida County, Wisconsin
(Spur Lake SNA Soils)

89° 10' 10" W

89° 8' 16" W

45° 43' 46" N

45° 43' 46" N



45° 42' 0" N

45° 42' 0" N

89° 10' 10" W

89° 8' 16" W



Map Scale: 1:15,900 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

2/27/2019
Page 1 of 3


Soil Map—Oneida County, Wisconsin
(Spur Lake SNA Soils)

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Oneida County, Wisconsin
Survey Area Data: Version 16, Sep 11, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Apr 17, 2011—Oct 24, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Cb	Carbondale, Lupton, and Markey mucks, 0 to 1 percent slopes	489.2	40.5%
CrA	Croswell sand, 0 to 4 percent slopes	9.1	0.8%
EmE	Emmert very gravelly sand, 20 to 45 percent slopes	17.7	1.5%
Gr	Greenwood, Loxley, and Dawson peats, 0 to 1 percent slopes	246.6	20.4%
Mc	Minocqua muck, 0 to 2 percent slopes	27.0	2.2%
PaB	Padus loam, 0 to 6 percent slopes	2.7	0.2%
PaC	Padus loam, 6 to 15 percent slopes	99.0	8.2%
PaD	Padus loam, 15 to 25 percent slopes	15.2	1.3%
PeB	Padus-Pence sandy loams, 0 to 6 percent slopes	0.9	0.1%
PeC	Padus-Pence sandy loams, 6 to 15 percent slopes	79.4	6.6%
PeD	Padus-Pence sandy loams, 15 to 35 percent slopes	64.0	5.3%
Pt	Pits, gravel	5.3	0.4%
PvA	Plover fine sandy loam, 0 to 3 percent slopes	11.4	0.9%
SaC	Sayner loamy sand, 6 to 15 percent slopes	7.7	0.6%
SaD	Sayner loamy sand, 15 to 45 percent slopes	12.6	1.0%
W	Water	114.1	9.5%
WoA	Worcester sandy loam, 0 to 4 percent slopes	5.6	0.5%
Totals for Area of Interest		1,207.4	100.0%